



8271

## STYLEKIT 5 WIRE - SINGLE USER



Style Kit 5 is the ideal door entry phone kit which uses 5 wires and is available from single-family to four-family versions. Style Kit 5 has an original and innovative design characterised by its unmistakable and exclusive blue LEDs, by large name labels and by high sound quality. Simply by adding a telephone or an additional bell allows easy expansion and an elegant desk base ensures flexibility for all needs.



8271

## STYLEKIT 5 WIRE - SINGLE USER

### PRODUCTS IN THE KIT



**3554 FLUSH BOX FOR STYLEKIT RANGE**

Flush-mounting box. Dimensions: 95,5x176,5x35mm

#### MAIN FEATURES

Height (mm)	176.5
Width (mm)	95.5
Depth (mm)	35

#### MOUNTING/INSTALLATION

Flush-mounted	Yes
---------------	-----

#### AUDIO/VIDEO FEATURES

Audio system	Yes
Audio/video system	Yes



8271

## STYLEKIT 5 WIRE - SINGLE USER



### **3551 5 WIRE SURFACE PANEL FOR STYLEKIT - 1 BUTTON**

Surface mount 1 button door entry panel which comes as part of the 8271 audio kit. Features include a large illuminated name window with LED, complete with speaker unit and volume adjustment. Dimensions of external unit:95x176x25mm



8271

## STYLEKIT 5 WIRE - SINGLE USER



### 2602 BASIC DOOR ENTRY PHONE FOR STYLEKIT 5

Door-entry phone with electronic call function, conversation button on base, call volume control and privacy function, key button and supplementary button for additional services with independent common. On this model it is not possible to add extra buttons or LEDs. Dimensions: 95x215x58 mm.

GENERAL DATA	
Height (mm)	215
Width (mm)	95
Depth (mm)	58
Product color	White RAL9003
Type of finishing materials	ABS
Product weight (g)	400
Wall-mounted	Yes
Desk base-mounted	Yes
COMPATIBLE SYSTEMS	
Traditional system	Yes
AUDIO FEATURES	
Microphone	9.6 (∅) x 6.9mm, omnidirectional
Loudspeaker	50mm (∅), 50 Ohm, 0.25W
Technologies implemented	Full-Duplex
ELECTRICAL CHARACTERISTICS	
Supply voltage	15÷16VDC
Absorption in stand-by (W)	3
Maximum absorption (W)	6
HARDWARE FEATURES	
Type of buttons	Mechanical



**8271**

## STYLEKIT 5 WIRE - SINGLE USER

### HARDWARE FEATURES

Service buttons	Lock-release
Clamps	S 2 3 4 C1 P1 C2 P2
Total buttons (n°)	2

### SETTINGS

Microphone volume	Yes
Ringtone volume	Yes

### ENVIRONMENTAL AND COMPLIANCE FEATURES

IP protection rating	IP30
Operating temperature (°C)	5 ÷ 40
Operating humidity (RH max) (%)	25 ÷ 95
Environmental class	I
CE certifications	EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

### GENERAL FEATURES

Privacy conversation function	Yes
Key button function	Yes
Silent mode (Privacy)	Yes
Audio system	Yes
Electronic bell	Yes



8271

## STYLEKIT 5 WIRE - SINGLE USER



### 1200 TRANSFORMER 10VA 0-230V/0-12V

Transformer with 230V primary winding, 12V AC / 900 mA secondary winding for continuous use. Dimensions: 53x95x65 mm (3 DIN modules).

MAIN FEATURES	
Supply voltage	230
Applicable to DIN rail	Yes
Number of DIN modules (n°)	3
Max. current delivered (A)	0.9
GENERAL DATA	
Height (mm)	95
Width (mm)	53
Depth (mm)	65
Type of finishing materials	Plastic
Operating temperature (°C)	-5 ÷ 40
COMPATIBILITY	
Simplebus 2 audio/video system	Yes
Building Kit audio/video system	Yes
Simplebus 2 audio system	Yes
Simplebus 1 audio system	Yes
Vip system	Yes
Kit audio/video system	Yes
Traditional system	Yes
Simplified system	Yes
ELECTRICAL SPECIFICATIONS	
Maximum power delivered (W)	15



8271

## STYLEKIT 5 WIRE - SINGLE USER

### ACCESSORIES



**4889**

**RAINSHIELD FOR FLUSH MOUNTED IDEALKIT**

Rain shield for Ideal flush-mounted panel Dimensions: 115x195x52mm



**4887**

**RAINSHIELD FOR SURFACE MOUNTED IDEAL KIT**

Protection housing with rain shield for Ideal wall-mounted panel. Dimensions: 119x196x76 mm



**3550**

**5 WIRE FLUSH PANEL FOR STYLEKIT - 1 BUTTON**

Flush mount 1 button door entry panel which comes as part of the 8271 audio kit. Features include a large illuminated name window with LED, complete with speaker unit and volume adjustment. Dimensions of flush-mounted box:95.5x176.5x35mm



**2642W/28 WHITE DESK BASE FOR STYLE 28 WIRE**

White desk conversion kit for all the telephones in the Style series. Complete with 1.5 mt of white cable and connection bushing fitted with 28 connection terminals. Dimensions 84X189X32 mm.



**2642W/16 WHITE DESK BASE FOR STYLE 16 WIRE**

White desk conversion kit for all the telephones in the Style series. Complete with 1.5 mt of white cable and connection bushing fitted with 16 connection terminals. Dimensions 84X189X32 mm.



**1627**

**LED FOR STYLE ELEGANCE H/SET**

Blue LED to be inserted in the base of the telephone. Takes up the space of one element. 12-24V AC-DC operation.



8271

## STYLEKIT 5 WIRE - SINGLE USER

### ACCESSORIES



**1626**

#### **STYLE INTERCOM ADDITIONAL PUSH BUTTON**

Pushbutton to be inserted in the base of the telephone. Takes up the space of one element.



**1229**

#### **EXTENSION SOUNDER**

Additional bell for call repetition can be controlled directly from terminals S- and S+ of the brackets and/or from the telephones. Surfaced mounted or on civil series 503 box. Dimensions: 110X75X29 mm.



**1122/A**

#### **RELAY 12/24 AC OR DC**

12-24 V DC-AC 10 A relay for general uses. Can be controlled directly, for call repetition, from terminals S+ and S of the brackets and/or from the digital telephones Dimensions: 68X85X35 mm (4 DIN modules).